



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/671,353	09/25/2003	Divya Vijayaraghavan	03-1844	7117
24319	7590	09/18/2008		
LSI CORPORATION 1621 BARBER LANE MS: D-105 MILPITAS, CA 95035			EXAMINER MOUTAOUAKIL, MOUNIR	
			ART UNIT 2619	PAPER NUMBER
			MAIL DATE 09/18/2008	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

### Office Action Summary

**Application No.**

10/671,353

**Applicant(s)**

VIJAYARAGHAVAN ET AL.

**Examiner**

MOUNIR MOUTAOUKIL

**Art Unit**

2619

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 12 June 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1, 3-7, 9-14 and 26-37 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1, 3-7, 9-14, and 26-37 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/S508)  
Paper No(s)/Mail Date \_\_\_\_\_

- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

## **DETAILED ACTION**

### ***Response to Amendment***

The amendment filed 06-12-2008 has been entered and considered.

Claims 2, 8 and 15-25 are cancelled.

Claims 1, 3-7, 9-14, and 26-37 remain rejected as discussed below.

### ***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 3-7, and 9-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sriram (US 5,463,620) in view of Polan et al (US 2003/0172123), hereinafter referred to as Polan, and further in view of the background of APA (Admitted Prior ART).

Regarding claims 1 and 9. Sriram discloses a method for prioritizing frames for transmission from a local node according to frame type. The method comprises determining if a remote node is open (column 2, lines 60-67. fig 1. the nodes are interconnected). If the remote node is open (Node 14 is open), then determining if there are contexts for the remote node in which the contexts are arranged in at least first and second queues (fig 5. the data is transmitted to node 14 through the link 28. the contexts are arranged in multiple queues. first queue 32, second queue 44); if no contexts reside on the queues for the remote node (column 6, lines 20-44. server 48

empties the queues from content), then examining an on-chip context cache to determine a context for the remote node (column 6, lines 20-44. the server check the next queue for context for the node 14) when the remote node is a current node of a current loop (fig 1. the nodes are interconnected), thereby promoting saving of current loop tenancy (fig.1, current loop does not end the tenancy).

Sriram does not specify that the remote node is a device on a fiber channel or the method is performed by another device on fiber channel. However, Polan discloses a method of implementing ATM over Fiber channel (see paragraph 0034). Thus, it would have been obvious to a person of ordinary skill in the art at the time of the invention to use ATM over fiber channel, as taught by Polan, into the loop (fig 1, 10, 14, 16) of Sriram for the purpose of taking advantage of the higher bandwidth provided by the fiber channel.

Sriram does not explicitly disclose an on chip context cache. However, the APA of the current application discloses that it is well known in the art to the context manager is responsible for retrieving on-chip context for the purpose of communicating information with other modules in the loop. Thus, it would have been obvious to a person of ordinary skill in the art at the time of the invention to examine on-chip context, as taught by the APA (see paragraph [0002]) for the reason listed above.

Regarding claim 3. Sriram discloses a method that further comprises if there are contexts in the on-chip context cache for the remote node, then retrieving and queuing cached context for the remote node (see column 6, lines 20-44. the server transmits any context located within the next queue to the node 14).

Regarding claim 4. Sriram discloses a method that determines if there is context on the data queue for the remote node (see column 6, lines 20-44. The server locates context availability within each queue including the data queue).

Regarding claim 5, the method of Sriram comprises that if there is context on the data queue for the remote node, then prioritizing context on the data queue for the lowest direct memory access latency for the remote node (column 8, lines 39-49, low bandwidth is allocated for low priority queue. 15 cells per cycle).

Regarding claims 6 and 7. Sriram discloses a method of prioritizing an earliest queued context for the remote node with the highest weight (fig 5, column 6 lines 20-44. The server defines time cycles for each queue. T1 is the first cycle granted for queue 32 because voice has more weight than data. 30 cells per cycle).

Regarding claim 10. Sriram discloses a method wherein the contexts are arranged in a third queue (fig.5 queue 36).

Regarding claim 11. Sriram discloses a method wherein each of the first second third queues stores a unique type of frame (fig.5).

Regarding claim 12. Sriram discloses a method wherein the contexts are arranged in fourth and fifth queues (fig.5).

Regarding claims 13 and 14. Sriram discloses a method where five different queues with assigned priority (fig.5).

3. Claims 26-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mullendore et al (US 7,215,680) in view of Sriram and further in view of the background of APA (Admitted Prior ART). Hereinafter referred to as Mullendore.

Regarding claim 26. The prior art of Mullendore discloses a plurality of nodes (fig.1A), each of the plurality of nodes communicatively coupled to all other nodes of the plurality of nodes in a loop topology (fig.1A), each of the plurality of nodes capable of receiving information from every other node of the plurality of nodes and capable of transmitting information to every other node of the plurality of nodes per loop (fig.1A), such that no two nodes transmit to a same node in a loop (fig.1A) and a remote node is a current node of a current loop (fig 1A), thereby promoting saving of current loop tenancy (fig.1A, current loop does not end the tenancy).

Mullendore does not disclose that the communications between nodes uses multiple queues to determine priority for transmitting frames of information. However, Sriram discloses a method where the communication between nodes uses multiple queues to determine priority for transmitting frames of information (fig 1 and 5); wherein the queues are examined for context when no context reside on other queues. Thus, it would have been obvious to a person of ordinary skill in the art at the time of the invention to implement nodes that employ multiple queues to determine priority for transmitting frames of information, as taught by Sriram, into the loop topology of Mullendore for the purpose of enhancing data flow, priority and avoiding congestion.

Mullendore in view of Sriram does not explicitly disclose an on chip context cache. However, the APA of the current application discloses that it is well known in the

art to the context manager is responsible for retrieving on-chip context cache for the purpose of communicating information with other modules in the loop. Thus, it would have been obvious to a person of ordinary skill in the art at the time of the invention to examine on-chip context, as taught by the APA (see paragraph [0002]) for the reason listed above.

Regarding claims 27, Mullendore discloses a system of communication wherein the loop topology is a fiber channel arbitrated loop (see background of Mullendore, paragraph [003]).

Regarding claims 28-33. Mullendore discloses all the limitations of the parent claim with the exception of wherein the queues are multiple queues for multiple sets of frames. However, Sriram discloses a queuing method where the node queues multiple incoming frames within different queues. Each set of frames is queued in a separate queue. Thus, it would have been obvious to a person of ordinary skill in the art at the time of the invention to implement the method of using multiple queues for multiple sets of frames, as taught by Sriram, into the communication system of Mullendore for the purpose of allocating different bandwidths for different sets of frames depending on priority and enhancing data transmission.

Regarding claim 34. Mullendore discloses a system wherein the plurality of nodes are two to 126 in number (fig.1A).

Regarding claim 35. Mullendore and Sriram discloses all the limitations of the parent claim with the exception of wherein the plurality of nodes are in a dual loop arrangement such that each node receives and transmits information to each of two

nodes through two loops in which information flows in opposite directions. However, examiner takes official notice that it is well known in the art how to convert a half duplex loop or ring to a full duplex loop. Thus, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to convert a half duplex loop to a full duplex loop for the purpose of increasing efficiency and avoiding latency.

Regarding claim 36. Mullendore discloses a system wherein a node corresponds to one device (fig.1A, 710).

Regarding claim 37. Mullendore discloses a system wherein a node corresponds to a plurality of devices (fig1A, 710 and 700).

### ***Response to Arguments***

Applicant's arguments with respect to claims 1, 3-7, 9-14, and 26-37 have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***

Examiner has cited particular columns and line numbers in the references applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings of the art and are applied to specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested from the applicant in preparing responses, to fully consider the references in entirety as potentially teaching all or part of the claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the Examiner.

In the case of amending the claimed invention, Applicant is respectfully requested to indicate the portion(s) of the specification which dictate(s) the structure



relied on for proper interpretation and also to verify and ascertain the metes and bounds of the claimed invention.

When responding to this office action, applicants are advised to clearly point out the patentable novelty which they think the claims present in view of the state of the art disclosed by the references cited or the objections made. Applicants must also show how the amendments avoid such references or objections. See 37C.F.R 1.111(c). In addition, applicants are advised to provide the examiner with the line numbers and pages numbers in the application and/or references cited to assist examiner in locating the appropriate paragraphs.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MOUNIR MOUTAOUKIL whose telephone number is (571)270-1416. The examiner can normally be reached on Monday-Thursday (1pm-4:30pm) eastern time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hassan Kizou can be reached on 571-272-3088. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/M. M. /  
Examiner, Art Unit 2619

/Hassan Kizou/  
Supervisory Patent Examiner, Art Unit 2619